

1 Effect of Capacity Utilisation on Manufacturing Firms' 2 Production in Nigeria

3 Okunade, Solomon Oluwaseun¹

4 ¹ Obafemi Awolowo University, Ile-Ife

5 *Received: 15 December 2017 Accepted: 1 January 2018 Published: 15 January 2018*

6 **Abstract**

7 Despite the significance of capacity utilisation in the production process, it received little
8 attention from development economists especially in Nigeria where capitals were both scarce
9 and under utilised. This present study examined the effect of capacity utilisation on
10 manufacturing firms' output in Nigeria using time series data covering the period of 1981 to
11 2016 through an Autoregressive Distributed Lag (ARDL) model approach. The study found
12 positive but insignificant relationship between capacity utilisation and manufacturing firms'
13 output since capacity was grossly under utilised in virtually every productive firm in Nigeria.
14 Thus, the study concluded that there was substantial under utilisation of capacity in Nigerian
15 manufacturing firms and this under utilisation made positive effect of capacity utilisation less
16 significant in explaining manufacturing firms' output growth in Nigeria. The study therefore
17 recommended that government and policymakers should make policies that would increase
18 capacity utilisation in manufacturing firms by ensuring appreciation in foreign exchange rate,
19 discouraging uncoordinated imports of goods and services, facilitating access to modern
20 machineries with affordable cost implication, and making stable power supply a priority in
21 Nigeria.
22

24 **Index terms**— capacity utilisation, manufacturing firms, production, actual and potential output, autore-
25 gressive distributed lag (ARDL).

26 **1 Introduction**

27 Capacity utilisation rate plays a crucial role in evaluating economic performance of manufacturing firms. Capacity
28 utilisation is an important factor to be considered when an increase in productivity and expansion of firm's
29 production become necessary. Also, the need to consider capacity utilisation is vital in many developing countries
30 especially in Nigeria where capital is very scarce and mostly under utilised (Adeyemi & Olufemi, 2016). Theory
31 of economies of scale stipulates that a cost-minimizing firm has a tendency to increase the utilisation of its capital
32 if the returns to scale decreases as its production increases (Afroz and Roy, 1976). That is, the rate of capacity
33 utilisation could be determined endogenously.

34 Moreover, the level of capacity utilisation does not only determine how much more output obtained by greater
35 utilisation of existing capital but also defines expansion of capacity of a firm for a targeted level of output (Afroz
36 and Roy, 1976). In view of this, the rate of capacity utilisation is directly related to the level of employment but
37 inversely related to per unit capital service cost. Thus, an increase in capacity utilisation means a reduction in
38 the average cost of production Afroz and Roy, 1976).

39 As crucial economic indicator as it is, capacity utilisation has not received due attention from development
40 economists especially in most developing countries, Nigeria inclusive. Though not greatly dealt with, capacity
41 utilisation does not only explain the relationship between actual output and maximum or potential output,
42 but also imply the level of market demand. Over-or-under-utilisation of plant capacity can reduce plant

3 CONCEPT OF CAPACITY UTILISATION

43 competitiveness by increasing operating costs (Seguin and Sweet land, 2014). When market demand grows,
44 capacity utilisation will rise. By contrast, if demand weakens, capacity utilisation will slacken. In the short run,
45 capacity utilisation is important to determine the elasticity of supply. For a firm that is close to 100% of capacity
46 utilisation rate, then supply will be very inelastic since there will be no room for capacity expansion to meet the
47 required increase in supply. That is, regardless of changes in the price, supply remains relatively the same in the
48 short run. Though, firms can increase productive capacity and increase the amount of capital in the long run to
49 cope with excess supply.

50 In theory, capacity utilisation is measured in 100% efficiency level, however, in practical sense, capacity
51 utilisation may not exceed 90% maximum level especially in developing economies due to some setbacks in
52 the production process such as lack of proper labour monitoring and supervision, wastages in the process and
53 machine breakdown (Afroz and Roy, 1976). In other words, each firm will choose its level of utilisation based
54 on the principle of cost minimization and then explores how such will determine its normal rate of utilisation
55 (Nikiforos, 2012).

56 Thus, the rate of capacity utilisation remains an important concept, though often neglected, in the production
57 process because the presence of idle resources that can be readily engaged in production activities constitute a big
58 problem in explaining fluctuations in firm output in Nigeria where under utilisation of some productive equipment
59 have become rampant in almost all productive firms. Though, under utilisation of resources in productive firms
60 is not only peculiar to Nigerian firms. For instance, Bresnahan and Ramey (1993) in a microeconomic evidence
61 found that the most usual way of adjusting production is to shut the plant down for a week in the American
62 automobile industry. Similar, surveys of business activities showed in most Western European countries that an
63 important proportion of firms run excess capacities from time to time (Fagnart, Licandro and Portier, 1999).

64 In Nigeria, most manufacturing firms have been faced with capacity under utilisation and this had constituted
65 a threat to firm productivity and production growth, and served as an impediment to economic growth and
66 development of the country. The emphasis of the present government to promote local production has motivated
67 further research in the area of capacity utilisation and firm production in Nigeria which is often neglected in
68 manufacturing firms.

69 In Despite the important contribution of manufacturing firms to Nigerian economy, there is limited literature
70 focusing on the capacity utilisation and production in this sector. Few studies that have delved into this area focus
71 on the determinants of capacity utilisation in the Nigerian manufacturing sector (see Adeyemi & Olufemi, 2016).
72 In developed countries for instance, Gu & Wang (2013) examined Canadian manufacturing industries and found
73 that manufacturing industries' productivity slowdown was largely associated with a decline in capacity utilisation.
74 Thus, measuring the level of capacity utilisation and most importantly examining the effect of capacity utilisation
75 on manufacturing firms' production is therefore an important step towards improving the manufacturing firms'
76 production in Nigeria.

77 The rest of the study is organized in the following ways. Section 2explains concept of capacity utilisation;
78 section 3 presents review of relevant literature; section 4presents empirical methodology and data sources;
79 while section 5has to do with interpretation of empirical results of the study. Finally, conclusion and policy
80 recommendations were presented in section 6.

81 2 II.

82 3 Concept of Capacity Utilisation

83 Capacity of a plant is seen as the maximum output that can be produced using the given technology and the fixed
84 input when the variable input vector may take any non-negative value. Hence capacity utilisation is equal to the
85 ratio of observed output to the capacity of the plant (Coelli, Grifell-Tatje & Perelman, 2002). Thus, capacity
86 utilisation refers to the ratio of actual output to the maximum or potential capacity output from a quasifixed
87 inputs. Technically, Johansen (1968) defined capacity output as the maximum output that can be produced from
88 a specific bundle of the quasi-fixed inputs even where there is no restriction on the availability of variable inputs.

89 In this present study, capacity refers to the maximum outflow which could be achieved from the installed
90 capital stock in a given period. In other words, capacity is the amount of output a firm can produce which
91 depends upon the amount of labour, buildings, machinery and other forms of capital stocks it has available for
92 production process. Utilisation on the other hand means actual amount of capacity which is being employed
93 to get output in the same period (Afroz and Roy, 1976). Hence, capacity utilisation in economic term implies
94 the ratio of actual output to the level of optimum output beyond which the average cost of production begins
95 to rise. That is, capacity utilisation expresses output as a percentage of total potential output. In other words,
96 capacity output can be defined either in economic term ??Cassel 1937, Klein, 1960, Berndt & Morrison, 1981)
97 or in technical term (Johansen, 1968). Thus, the economic definition was adopted in this study. However, pure
98 technical efficiency relative to full capacity measures the difference between actual outputs to capacity output.
99 It is caused by both inefficient utilisation of the variable inputs and fixed inputs. Deb (2014) denotes it as gross
100 capacity utilisation and divides capacity utilisation into net capacity utilisation and gross capacity utilisation.
101 Net capacity utilisation measures the difference between frontier output and capacity output. It is caused by
102 only inefficient utilisation of the fixed inputs.

103 (Source: ??BN Statistical Bulletin, 2015) Fig. ??: Average (Total) Capacity Utilisation in Nigeria Generally,

104 Fig. ?? shows that average (total) capacity utilisation (ACU) decreased from 77.4% in the second quarter of
105 2008 to about 21.3% in the third quarter of the same year. This quarter connotes the period when economic and
106 financial crisis began to manifest in Nigeria and other developing countries. The crisis affected virtually every
107 sector of the economy. However, the effect of this crisis was largely significant and more pronounced in financial
108 and manufacturing sectors. Average capacity utilization decreased 21.3% in second quarter of 2008 to 7.8% in
109 the fourth quarter of 2009 when the crisis was at its prime in the country. After this time, Nigeria and most
110 other developing countries had started devising mechanisms to come out of the quagmire coupled with other
111 international measures put in place such as bail outs and so on. This was reflected in the increase in the average
112 total capacity utilisation in Nigeria that started to increase in the first quarter of 2010 which was around 13.0%
113 and increased to 35.2% in the first quarter of 2011. From the second quarter of 2011, the trend shows that average
114 total capacity utilisation in Nigeria assumed an oscillatory movements and it was decreasing unstable, 33.0% in
115 second quarter of 2011, 24.3% in first quarter of 2013, 27.6% in first quarter of 2014, 15.0% in first quarter of
116 2015 and finally 10.5% in the fourth quarter of 2015. However, the average total capacity utilisation was volatile
117 during these years and volatile capacity utilisation may present a challenge for stable economic development.
118 The capacity utilisation in Nigerian manufacturing firms follows a similar volatile pattern as total rate.

119 4 III.

120 5 Literature Review

121 In Nigeria, Adeyemi and Olufemi (2016) investigated the determinants of capacity utilisation in the Nigerian
122 manufacturing sector between 1975 and 2008, by administering structured questionnaire to assess the operational
123 materials and the performance of the selected firms. The study employed co integration and Error Correction
124 Model(ECM) as the estimation techniques and found a positive relationship between consumer price index,
125 fixed capital formation in manufacturing sector and capacity utilisation. However, negative relationship between
126 electricity generation, real manufacturing output growth rate and capacity utilisation were found. Deb (2014)
127 confirmed that utilisation of a plant capacity is a possible channel through which economic reforms enhanced
128 the productivity growth in total manufacturing sector in India. The study estimated capacity utilisation rate in
129 Indian manufacturing sector. The result showed that the annual average capacity utilisation rate in Indian
130 manufacturing was lower over the pre-reform periods, and in the post-reforms era, the capacity utilisation
131 rate grew faster. Moreover, the result of regression analysis confirmed that economic reforms exerted positive
132 impact on productivity growth in total manufacturing sector more than the positive impact of improved capacity
133 utilisation. Nikiforos (2012) examined the endogeneity of the rate of capacity utilization in the long run at the firm
134 level by considering the factors that determine the capacity utilisation of resources of the cost minimizing firm.
135 The study concluded that the cost minimising firm has an incentive to increase the utilization of its capital if the
136 rate of the returns to scale decreases as its production increases. Also, Coelli, Grifell-Tatje and Perelman (2002)
137 measured the contribution of capacity utilisation to profitability along with measures of technical inefficiency
138 and allocative inefficiency. Using data from 28 international airline companies for empirical illustration and the
139 result showed that airline companies achieve profit levels which were on average US\$815m below potential levels,
140 and that 70% of the gap may be attributed to unused capacity. Jessica (2004) investigated the effects of foreign
141 competition on the level of capacity utilisation of a firm using firm-level data of twelve countries. The results
142 showed that capacity utilisation was higher for exporter firms, and an increased level of exports also affected
143 capacity but at a decreasing rate. The study also indicated that if exports increased more than 49 or 51 percent
144 of total sales, capacity utilisation starts decreasing. Moreover, more flexibility to make factor choices affected
145 capacity utilisation positively. Thus, the study concluded that policy makers can move beyond reducing barriers
146 to trade by trying to build around other incentives that increase capacity utilisation.

147 In a study of productivity performance and capacity utilisation in the Indian food processing industry over 1988
148 and 2005, Kumar & Basu (2008) found that the Indian food processing industry performed far below its potential
149 and concluded lack of development of technological progress was responsible. With respect to productivity, the
150 productivity performance of 453 United State manufacturing industries from 1976 to 1999 based on firm level
151 data was investigated by Abraham & White (2006) and found remarkable heterogeneity and disparity exists
152 within industries and between industries. Similarly, Syverson (2004) explored productivity performance in 443
153 U.S. manufacturing industries and found evidence of large variations within and among industry plants.

154 IV.

155 6 Methodology a) Measure of Capacity Utilisation Rate

156 Capacity utilisation can be measured using technical or economic approach. The later describes capacity
157 utilisation as the ratio of observed output to the capacity of the plant. In line with Sahoo & Tone (2009),
158 the optimal rate of capacity utilisation of variable inputs can be obtained as given below:) (/ * V i io j I j ij io
159 I x x N ? ? = ? ? ? ? (1)

160 Where io_j is the capacity utilisation rate for optimal output, ij x / io_j is the input set given its optimal
161 level and $* j$ is the optimal scale. I and V are individual firm inputs and individual firm's variable inputs
162 respectively. Capacity utilisation could therefore be given as in equation 2. In this measure, capacity utilisation

9 RESULTS AND INTERPRETATIONS A) DESCRIPTIVE STATISTICS

163 will take a value between zero and one. A value of one indicates that the plant is operating at full capacity.C Y
164 $Y = ? (10 ? ? ?) (2)$

165 Where ? is the capacity utilisation rate, Y is the actual annual output and Y C is the observed or potential
166 output. In literature, majority of previous studies used survey methods or ad hocproxies to measure capacity
167 utilisation, for instance Solow (1957) and Basu (1996)used unemployment rates and growth rate of materials
168 respectively, while Basu and Fernald(2001)employed hours worked per worker to measure capacity utilisation. In
169 this present study, capacity utilisation is viewed and measured from economic perspective.

170 7 b) Model Specification

171 The economics of firm behaviour is first examined by showing the production function, which is the relationship
172 between the firm's output and its inputs, which are all the factors of production necessary to produce the product.
173 Obviously, for a firm to be profitable, the cost of its inputs must be less than the revenue received for the output.
174 Moreover, economic capacity output of the firm is the level of production where the firm's long-run average cost
175 curve reaches a minimum point and because long-run average cost is considered, no input is held fixed (Deb,
176 2014).

177 Production functions describe a technical relationship between all physical inputs (be it capital, labour, energy
178 and material) used in a production process and the maximum amount of outputs that can be obtained from the
179 production process (Fagnart, Licandro and Portier, 1999). Individually, a firm could design its future productive
180 equipment by choosing simultaneously a quantity of capital goods and a blueprint employment level according
181 to a given Cobb-Douglas production function: $? ? = 1 t t t t L K A Y (3)$

182 Where Y t represents the manufacturing output at time t, L is the amount of labour hours used, K includes
183 both physical and human capital employed, but there are no diminishing returns to capital, and A, the efficiency
184 factor or total factor productivity (TFP) is intended to represent any factor that affects technology. ? and 1? are
185 the elasticities of output with respect to inputs. For the purpose of this present study, the functional relationship
186 between manufacturing output and capacity utilisation is expressed below:

187 $) , , (t t t t LAB GCF CU f MANO = (4)$

188 Where, MANO t represents manufacturing output at time t, GCF t is the gross capital formation at time t.
189 while LAB t represents labour force participation rate at time t CU t represents capacity utilisation rate at time
190 t. Capacity utilisation rate affects efficiency level or rate of technology of production.

191 However, there is an evolution in the economic behaviour of countries over time and a dynamic model is
192 therefore required to explain the relationship among variables (Ellahi, 2011). Thus, an Autoregressive Distributed
193 Lag (ARDL) model was developed to explore the effect of capacity utilisation on manufacturing firms' output.
194 ??esaran, Shin & Smith (1997)

195 8 c) Technique of Analysis and Sources of Data

196 It is essential to determine the order of integration of each of the variable series in order to avoid spurious
197 regression; and to employ autoregressive distributed lag (ARDL) method. Although, the ARDL test does not
198 necessarily require the pretesting of variables but the unit root test provides guidance as to whether ARDL is
199 applicable or not because it is only applicable to the analysis of variables that are integrated of order zero $I(0)$ or
200 order one $I(1)$ or combination of both, but not applicable when higher order of integration such as $I(2)$ variable
201 is involved (Nyasha and Odhiambo, 2014). Thus, the Augmented Dickey-Fuller (ADF) of Dickey and Fuller
202 (1981) and Phillip-Perron techniques were used to investigate the stationarity of the variables. To achieve the
203 objective of the study, equation (??) was analysed to examine the effect of capacity utilisation on manufacturing
204 firms' output in Nigeria.

205 Annual data on manufacturing value added as a percentage of GDP (a proxy for manufacturing firms' output),
206 gross capital formation, labour force participation rate were sourced from World Development Indicator (WDI),
207 2016 edition while capacity utilisation rate was sourced from the Publication of Central Bank of Nigeria's (CBN)
208 Statistical Bulletin, 2016 edition.

209 V.

210 9 Results and Interpretations a) Descriptive Statistics

211 The statistical description of the variables has become vital to observe the distribution, variability and normality
212 of the variables with a view to overcoming the likely problems associated with time series data. Table 2presents the
213 descriptive characteristics of the variables. In Table 1, the mean and median values lie within their maximum and
214 minimum values for variables which indicate a good level of consistency. Manufacturing firm's output (MANO)
215 is the least volatile variable while labour force participation rate (LAB) is the most volatile variable.

216 Moreover, the skewness statistics reveal that only labour force participation rate (LAB) is negatively skewed
217 while other variables are positively skewed. The kurtosis statistics show that only gross capital formation (GCF)
218 exceeds 3, meaning that the series is leptokurtic (peaked) relative to normal distribution while other variables
219 are platykurtic since their respective kurtosis is less than 3, which implies that its distribution is flatter relative
220 to normal distribution. Finally, the overall probability that the Jarque-Bera statistic exceeds5% (in absolute
221 value) significance level for all the series suggests the rejection of the null hypothesis of normal distribution at

222 5% significance level as the observed values are generally low for all the series. The results of the unit root
223 tests in table 1 shows that manufacturing value added as a percentage of GDP, gross capital formation, labour
224 force participation rate and capacity utilisation rate are all stationary at first difference in both Augmented
225 Dickey-Fuller and Phillips-Perron tests.

226 **10 c) Lag Length Criteria**

227 Table 3 presents the maximum lag length selected by Information Criteria. All information Criteria depict optimal
228 lag length of 1 except Akaike Information Criterion (AIC) which indicates optimal lag length 2. However, the
229 stability of the model was tested via inverse root of AR polynomial and cumulative sum, and the model was
230 found to be stable at lag length 2 (see figure 2 and 3), therefore Akaike Information Criterion (AIC) prediction
231 was adopted for the purpose of our estimation.

232 **11 d) Effect of Capacity Utilisation on Manufacturing Firm's 233 Output in Nigeria**

234 In order to examine the effect of capacity utilisation on manufacturing firm's output in Nigeria, ARDL Model
235 in equation 5 was estimated. The results of the estimation was depicted in the Table 4. The result in Table
236 4 showed that capacity utilisation rate (CU) and labour force participation rate (LAB) did not conform to a
237 priori expectation while gross capital formation (GCF) was positively related to manufacturing firm's output in
238 Nigeria (MANO). Contrary to a priori expectation, capacity utilisation rate has an nsignificant positive effect
239 on manufacturing firm's output in Nigeria ($t=1.1888$; $p>0.05$). Other things being equal, a 1% increase in
240 the capacity utilisation rate should lead to about 1.16% increase in manufacturing firm's output in Nigeria.
241 Moreover, though not significant also, the previous year's capacity utilisation rate is positively related to present
242 manufacturing firm's output in Nigeria ($t=1.6662$; $p>0.05$). Similarly, gross capital formation (GCF) has a
243 positive effect on manufacturing firm's output in Nigeria ($t=2.1527$; $p<0.05$). An increase of 1% in GFC will lead
244 to about 0.31% increase in manufacturing firm's output in Nigeria. However, labour force participation rate has
245 a negative effect on manufacturing firm's output though not significant ($t=-1.1529$; $p>0.05$). The result shows
246 that, 1% increase in the labour force participation rate reduces manufacturing firm's output by about 0.0677%
247 in Nigeria.

248 The R 2 reveals the explanatory power of the independent variables. The result indicates that about 85%
249 variations in the dependent variable are explained by independent variables in the model while the Fstatistic shows
250 that the independent variables are jointly significant in explaining the dependent variable ($F\text{-stat} = 18.29765$, $P\text{-}$
251 value=0.0000). The Durbin-Watson statistic showed that the model is free of serial correlation problem when
252 compared to R Squared value [DW (2.360693) > R 2 (0.854126)].

253 **12 e) Discussion of Findings**

254 This result showed that Nigerian manufacturing firms are characterized with under utilisation of capacity which
255 reflect in its insignificant effects on manufacturing output, and a number of factors might be responsible. Among
256 these factors are foreign exchange shortage, preference for foreign products, high cost of equipment and machinery,
257 power failure and maintenance culture.

258 The shortage of foreign exchange constitutes a significant problem towards the purchase of necessary raw
259 materials and spare parts which could aid manufacturing firms and undermine their ability to run in full
260 capacity. Preference for foreign product and uncoordinated imports of goods and services at the expense of
261 locally produced goods is another important problem. Also, failure in power supply constitutes a substantial
262 source of under utilisation, and moreover, a considerable loss of production is attached to power failure from time
263 to time. Moreover, the negative relationship between labour force participation rate and manufacturing output
264 reveals the consequence of moving towards a more capital intensive technique of production in an economy with
265 overwhelmingly growing labour supply.

266 **13 f) Diagnostic Tests**


267 Testing for serial correlation, heteroskedasticity and stability of the model has become necessary in time series
268 analysis to ensure a stable model, and to avoid making spurious inferences. Autocorrelation, simply put,
269 explains a situation where a variable is influenced by its lagged values while heteroskedasticity has to do with
270 the circumstance in which the variability of a dependent variable is unequal across the range of values of an
271 independent variable that predicts it.

272 The Breusch-Godfrey Serial Correlation LM test result in Table 5 shows that the probability values (0.4386
273 and 0.3086) are greater than 0.05 levels of significance which imply that the null hypothesis of no serial correlation
274 cannot be rejected. Thus, this necessitates the acceptance of null hypothesis and therefore concludes that the
275 model has no serial correlation problem. Similarly, Breusch-Pagan-Godfrey heteroskedasticity test result in Table
276 5 shows that the probability values (0.4035, 0.3549 and 0.9719) are greater than 0.05 level of significance, and this
277 implies that the null hypothesis of homoscedasticity can not be rejected. Thus, this necessitates the acceptance of
278 null hypothesis and therefore concludes that the model has equal variance (homoscedastic). Also, Ramsey RESET

279 test shows that the model is free of specification errors, that is, relevant variables were not omitted, the functional
 280 form of the model is correct, and there is no serial correlation between the independent variables and disturbance
 281 term. The stability of the model is tested via Cumulative Sum of Recursive Residuals (CUSUM), Cumulative
 282 Sum of Squares of Recursive Residuals (CUSUMSQ) and Inverse Root of AR Characteristic polynomial tests. In
 283 Figure 2 and 3, the blue line is between the upper and lower limits (the two red lines), this implies that the
 284 model is stable when estimated at lag 2. Similarly, no root lies outside the unit circle (modulus), that is, all of
 285 the modulus of the complex root values are less than 1 in Inverse Root graph in Figure 4, it can therefore be
 286 concluded that the model at lag 2 satisfies the stability condition.

287 14 Conclusions and Policy Recommendation

288 The major conclusion of this study is that there is significant under utilisation of capacity in Nigerian
 289 manufacturing firms and this under utilisation makes positive effect of capacity utilisation less significant in
 290 explaining manufacturing firms' output growth in Nigeria. A number of factors have been responsibly identified
 291 for present under utilisation in the manufacturing firms. In line with the findings of this study, it is recommended
 292 that Nigerian government and policymakers should make policies that will ensure appreciation in foreign exchange
 293 rate to discourage uncoordinated imports of goods and services, to facilitate access to modern machineries with
 294 affordable cost implication, and make stable power supply a priority. These will increase capacity utilisation, and
 295 its positive effects will translate to increase in manufacturing firms' production in Nigeria. ^{1 2 3 4}



296 Figure 1:


297

¹B © 2018 Global JournalsEffect of Capacity Utilisation on Manufacturing Firms' Production in Nigeria

²© 2018 Global Journals


³Effect of Capacity Utilisation on Manufacturing Firms' Production in Nigeria

⁴© 2018 Global JournalsEffect of Capacity Utilisation on Manufacturing Firms' Production in Nigeria



2

Figure 2: Figure 2 :



3

Figure 3: Figure 3 :

ln	t	MANO	$\frac{p}{j}$	1	j	ln	t	MANO	$\frac{p}{j}$	$\frac{p}{j}$	0	j	ln	CU	t	$\frac{p}{j}$		
1				1	2	ln			1	3	ln	t	GCF	1	4	ln	t	LAE

Figure 4:

1

	Mano	Cu	Gcf	Lab
Mean	6.235459	47.17258	2.83E+12	42.18691
Median	5.727706	46.75000	2.43E+11	55.80000
Maximum	10.65402	73.30000	1.61E+13	57.70000
Minimum	2.410130	29.29355	7.99E+09	0.000000
Std. Dev.	2.639774	11.04581	5.00E+12	24.71454
Skewness	0.158520	0.095055	1.641042	-1.151220
Kurtosis	1.782473	2.122804	4.042237	2.330663
Jarque-Bera	2.374328	1.208422	17.78750	8.623863
Probability	0.305085	0.546505	0.000137	0.013408

Source: Author's Computation, 2017

© 2018 Global
Journals

Figure 5: Table 1 :

2

Source: Author's Computation, 2017

Figure 6: Table 2 :

3

Lag	Logl	LR	FPE	AIC	SC	HQ
0	-10.83306	NA	2.89e-05	0.898973	1.080368	0.960007
1	126.8966	233.7230*	1.82e-08*	-6.478579	-5.571605*	-6.173410*
2	143.1563	23.65052	1.88e-08	-6.494321*	-4.861767	-5.945016
3	151.6781	10.32948	3.35e-08	-6.041098	-3.682965	-5.247658

[Note: Source: Author's Computation, 2017 Note: * indicates lag order selected by the criterion; LR, FPE, AIC, SIC and HQ indicate sequential modified LR test statistic, Final Prediction Error, Akaike Information Criterion, Schwarz Information Criterion and Hannan-Quinn respectively.]

Figure 7: Table 3 :

Effect of Capacity Utilisation on Manufacturing Firms' Production in Nigeria

ADF

	Variable	Level	First Diff	Status
	LMANO	-	-5.7517*	I(1)
			1.3213	
	LCU	-	-3.5055*	I(1)
			1.8082	
	LGCF	0.6264	4.7605*	I(1)
2018	LLAB	-	-5.8292*	I(1)
			1.7533	

Year

34

Volume

XVIII

Issue I

Version

I

Global

Variable

Dependent Variable: LMANO Coefficient Std. Error 0.827359 0.118696 1

Jour-

LMANO(-1)

nal of

LCU LCU(-1)

Man-

LGCF LGCF(-1)

age-

LLAB

ment

and

Busi-

ness

Re-

search

() B

LLAB(-1)

0.076954

0.072851

LLAB(-2)

-0.119101

0.060335

C

-0.277132

0.296300

R-squared

0.854126

Adjusted R-squared

F-statistic

18.29765

Prob.

(F-

statistic)

Durbin-Watson stat

2.360693

© 2018 Global
Journals

Source: Author's Computation, 2017.* indicate significance at 5%,

Figure 8: Table 4 :

5

Breusch-Godfrey Serial Correlation LM Test			
F-statistic	0.85442	Prob. F(2,23)	0.4386
Obs*R-squared	2.35141	Prob. Chi-Square(2)	0.3086
Heteroskedasticity Test: Breusch-Pagan-Godfrey			
F-statistic	5.36333	Prob. F(8,25)	0.4035
Obs*R-squared	21.4828	Prob. Chi-Square(8)	0.3549
Scaled explained SS	17.4049	Prob. Chi-Square(8)	0.9719
Ramsey RESET Test	Value	Df	Prob.
t-statistic	1.404639	24	0.1729
F-statistic	1.973011	(1, 24)	0.1729

Figure 9: Table 5 :

296 [Jessica ()] *A firm's capacity utilisation and its relationship with foreign competition in selected countries or is*
297 *foreign competition a limit for wasting resources? A Thesis submitted to the Faculty of the Graduate School*
298 *of Arts and, B A Jessica* . 2004. Washington, DC. Sciences of Georgetown University (Unpublished)

299 [Pesaran and Shin ()] *An autoregressive distributed lag modeling approach to co-integration Analysis*, H Pesaran
300 , Y Shin . 1997. 1999. Cambridge, England. Pesaran, H. & Shin, Y.; Cambridge, England. (An autoregressive
301 distributed lag modeling approach to co-integration analysis)

302 [Coelli et al. ()] *An introduction to efficiency and productivity analysis*, T J Coelli , D S P Rao , C J O'donnell
303 , G E Battese . 2005. New York, NY: Spring Science. (2nd Edition)

304 [Melfou et al. ()] 'Assessing productivity change with SFA in the sheep sector of Greece'. K Melfou , A
305 Theοcharopoulos , E Papanagiotou . *Operation Research International Journal* 2009. 9 (3) p. .

306 [Pesaran et al. ()] 'Bounds testing approaches to the analysis of level relationships'. M H Pesaran , Y Shin , R J
307 Smith . *Journal of Applied Econometrics* 2001. 16 p. .

308 [Coelli et al. ()] 'Capacity utilisation and profitability: A decomposition of short-run profit efficiency'. T Coelli
309 , E Grifell-Tatje , S Perelman . *International Journal of Production Economics* 2002. 79 p. .

310 [Afroz and Roy ()] *Capacity utilisation in selected manufacturing industries of Bangladesh. The Bangladesh*
311 *Development Studies*, G Afroz , D K Roy . 1976. 4 p. .

312 [Berndt and Morrison ()] 'Capacity utilization measures: underlying economic theory and an alternative ap-
313 proach'. E R Berndt , C J Morrison . *American Economic Review* 1981. 71 (2) p. .

314 [Sahoo and Tone ()] 'Decomposing capacity utilization in data envelopment analysis: An application to banks
315 in India'. B K Sahoo , K Tone . *European Journal of Operational Research* 2009. 2009. 195 p. .

316 [Seguin and Sweet Land ()] *Drivers of Canadian food processing competitiveness macro factors and micro*
317 *decisions*, B Seguin , J Sweet Land . http://www.georgemorris.org/publications/Project_2_Drivers_of_Canadian_Food_Processing.pdf 2014. George Morris Centre.

319 [Deb and Ray ()] *Economic reforms and total factor productivity growth of Indian manufacturing: An inter-state*
320 *analysis*, A K Deb , S C Ray . No. 2013 -04. 2013. USA. Department of Economics, University of Connecticut
321 (Working Paper)

322 [Deb ()] 'Economic reforms, capacity utilization and productivity growth in indianmanufacturing sector'. A K
323 Deb . *Global Business Review* 2014. 15 (4) p. .

324 [Cassels ()] 'Excess capacity and monopolistic competition'. J M Cassels . *Quarterly Journal of Economics* 1937.
325 51 p. .

326 [Fagnart et al. ()] 'Firm heterogeneity, capacity utilisation, and the business cycle'. J Fagnart , O Licandro , F
327 Portier . *Review of Economic Dynamics* 1999. 2 p. .

328 [Ellahi ()] 'How development of finance contributes to poverty alleviation and growth: a time series, application
329 for Pakistan'. N Ellahi . *African Journal of Business Management* 2011. 5 (30) p. .

330 [Kumar and Basu ()] 'Perspectives of productivity growth in indian food industry a data envelopment analysis'.
331 M Kumar , P Basu . *International Journal of Productivity and Performance Management* 2008. 57 (7) p. .

332 [Basu ()] 'Procylical productivity: increasing returns or cyclical utilisation?'. S Basu . *Quarterly Journal of*
333 *Economics* 1996. 111 p. .

334 [Syverson ()] 'Product substitutability and productivity dispersion'. C Syverson . *The Review of Economics and*
335 *Statistics* 2004. 86 (2) p. .

336 [Johansen ()] 'Production Function and the Concept of Capacity'. L Johansen . *Collected Economie et Mathe-
337 matique et Econometrie* 1968. 2 p. .

338 [Gu and Wang ()] 'Productivity growth and capacity utilization'. W L Gu , W M Wang . *Economic Analysis*
339 *Research Paper Series, Catalogue No. 11F0027M* 2013. (085) . (Statistics Canada)

340 [Bresnahan and Ramey ()] 'Segment shifts and capacity utilization in the U.S. automobile industry'. T Bresnahan
341 , V Ramey . *American Economic Review* 1993. 83 p. .

342 [Klein ()] 'Some theoretical issues in the measurement of capacity'. L R Klein . *Econometrica* 1960. 28 p. .

343 [Solow ()] 'Technical change and the aggregate production function'. R M Solow . *The Review of Economics and*
344 *Statistics* 1957. 39 (3) p. .

345 [Nikiforos ()] *The (Normal) rate of capacity utilization at the firm level*, M Nikiforos . No. 737. 2012. (Levy
346 Economics Institute Working Paper)

347 [Adeyemi and Olufemi ()] 'The determinants of capacity utilization in the Nigerian manufacturing sector'. P A
348 Adeyemi , O B Olufemi . ISSN 2222-2855. *Journal of Economics and Sustainable Development* 2222-1700.
349 2016. Online. 7 (5) . (Paper)

350 [Abraham and White ()] *The dynamics of plant-level productivity in U.S. manufacturing. Center for Economic*
351 *Studies Working Paper*, A Abraham , K White . 2006. p. .

352 [Basu and Fernald (ed.) ()] *Why is productivity pro-cyclical? Why do we care?*, S Basu , J Fernald . C.R. (ed.)
353 2001.